

CURRICULUM Vitae

Name **Mahmoud Rabie El-Kenawy MR**

Date of birth: 29/12/1953

Nationality Egyptian

Social Status: Married and have three sons.

Address & Phone Urology & Nephrology Center,
 Mansoura University
 Mansoura- Egypt

Tel: +2050 2202344 (House)
 +2050 2262222 (Hospital)

Fax: +2050 2263717

E-mail: Dr.kenawy@hotmail.com

QUALIFICATION:

- M.B., B.ch.,	Mansoura	June	1978
- M.S., Urology	Mansoura	June	1984
- M.D., Urology	Mansoura	November	1988

EXPERIENCE:

1. Rotating internship, Mansoura University, September 1978 to September 1979.
2. General practitioner, Ministry of Health, September 1979 to January 1980.
3. Resident, Department of general surgery and urology, Military service, January 1980 to March 1981.
4. Resident, Urology & Nephrology Center, Mansoura University, April 1981 to January 1985.
5. Clinical demonstrator in Urology, Mansoura University, January 1985 to March 1985.
6. Assistant lecturer in Urology, Mansoura University, March 1985 to January 1989.
7. Endourologist, responsible of PCNL programme, Urology & Nephrology Center, October 1984 to November 1988.
8. Lecturer in Urology, Mansoura Faculty of Medicine, Egypt, January 1989.
9. Responsible of ESWL Unit, Urology & Nephrology center, April 1989 -1992.
10. Ass. Prof. of Urology from 1994-1999.
11. Prof. of Urology from March, 1999.

PRESENT POSITION:

Professor of Urology in Urology & Nephrology Center, Faculty of Medicine, Mansoura University.

SPECIAL TRAINING:

1. Training visit (on Endourology, “PCNL”) to Mainz University Hospital, west Germany, 1985.
2. Post-graduate Course on laser Lithotripsy, American Urologic Association, Dallas-Texas-USA, 1989.
3. Post-graduate Course on Impotence, American Urologic Association, Dallas-Texas-USA, 1989.
4. Training Course on Extra-Corporeal Shock Wave Lithotripsy (ESWL) in Herne, Bochum University & Munich University, West Germany, 1989.
5. Post-graduate Course on Non-Surgical Treatment of the prostate, European Association of Urology, Amsterdam-Netherlands, 1990.

AREAS OF INTEREST:

- 1- Endourology
- 2- Extracorporeal Shock wave lithotripsy.

SCIENTIFIC PUBLICATION AND PRESENTATIONS:

1. M.S. Thesis in Urology on “Long term follow up of cases of skin inlay urethroplasty for urethral stricture” By **El-Kenawy MR.** Mansoura University, 1983.

2. **El-Kenawy, MR.,** El-Kappany, H.A., Bazeed, M.A., Ashmallah, A. and Ghoneim, M.A.
Post-trumatic stricture urethral, long term, follow up.
Mansoura Medical Journal, Vol. 16, No. 3, 145-154, 1986.

3. El-Kappany, H.A, **El-Kenawy MR.** and Ghoneim M.A.
Percutaneous nephrolithotomy; an endoscopic approach for renal stones extraction. Mansoura Medical J., Vol. 16, No. 4: 1-12, 1986.

4. **El-Kenawy, MR.,** El-Kappany, H. And Ghoneim:
Percutaneous surgery of renal stones.
Presented at IV World Congress on Endourology and ESWL.
Madrid, Spain, September 11-13, 1986.

5. El-Kappany, H.A., Shamaa, M.A., **El-Kenawy, MR.** and Ghoneim, M.A.:
Percutaneous nephrolithotomy: Unusual complications.
Mansoura Medical Journal, Vol. 16, No. 3, 147-152, 1986.

6. **El-Kenawy, MR.,** El-Kappany, H.A., and Ghoneim, M.A.:
PCNL complications in 658 cases.
Presented at V World Congress on Endourology and ESWL

7. El-Kappany, H.A., **El-Kenawy, MR.** And Ashmallah, A.:
Complications following 717 percutaneous nephrolithotomy.
Mansoura Medical Journal. Vol 17(2): 153-161, 1987.

8. M.D. Thesis in Urology “Percutaneous Surgery of renal stones” By **El-Kenawy MR.** Mansoura University, 1988.
9. Ghoneim, M.A., Gaballah, M.A. and **El-Kenawy, MR.:**
The modified rectal bladder for bladder substitution (The augmented valved rectum): Variation on a theme.
A video Film Presented at The AUA, 84th Annual Meeting, Abstract in J Urol, 141-156, 1989.
10. Sobh, M., Nabeeh, A., El-Din, A.S., El-Housseiny, I.I., **El-Kenawy, MR.**, El-Hammady, S., Fayed, S., Arafat, N. and Ghoneim, M.A.:
Long term follow up of the remaining kidney in living related kidney donors. International Urology and Nephrology, 21(5): 547-553, 1989.
11. Kappany, H.A., **El-Kenawy MR.**, Mokhtar, A. and Ghoneim, M.A.:
Long term follow up after percutaneous nephrolithotomy.
New Egyptian J of Medicine, 4(3): 1299-1231, 1990.
12. **El-Kenawy, MR.**, El-Kappany, H.A. and Ghoneim, M.A.:
Endopyelotomy for uretero pelvic junction obstruction. Technique and results.
New Egyptian J of Medicine, 4(3): 1225-1227, 1990.
13. Saied, M.M.A, Sombul, Z.M., **El-Kenawy, MR.** and Attalah, M.M.:
Spinal and intrapleural bupivacaine for percutaneous nephrolithotomy.
Middle Esat J Anaesthesia 1991 Oct., 11(3): 259-64.
14. **El-Kenawy, MR.:**
Complicated steinstrasse after ESWL.
New Egyptian J of Medicine 4(4): 1716-1717, 1990.

15. **El-Kenawy, MR.**, El-Kappany, H.A. and Ghoneim, M.A.:
A report of 1000 cases of PCNL. Presented at the 25th Annual Meeting of the Egyptian Urological Association. Cairo, 16-19 October, 1990.
16. **El-Kenawy, MR.**, Eraky, I. and Ghoneim, M.A.:
One year experience with MFL 5000 lithotriptor. Presented at the 25th Annual Meeting of the Egyptian Urological Association. Cairo, 16-19 October, 1990.
17. **El-Kenawy, MR.**, Eraky, I. and Ghoneim, M.A.:
Treatment of ureteric stones with ESWL: Experience with 200 cases. Presented at the 25th Annual Meeting of the Egyptian Urological Association, Cairo, 16-19 October, 1990.
18. **El-Kenawy, MR.**, Eraky, I. and Ghoneim, M.A.:
ESWL of renal and ureteral stones: A report of 1000 patients treated usingMFL 5000 (Dornier-Philips) lithotripter.
Presented at the European Association of Urology, 9th Congress, June 13-16, Amesterdam, 1990, Published in Urology Poster, 2: 78-81, 1991.
19. **El-Kenawy, MR.**, El-Kappany, H., El-Diasty, T. And Ghoneim, M.A.:
Percutaneous nephrolithotomy for treatment renal stones; An experience in more than 1000 consecutive cases.
Br J Urol 1992 May, 69(5): 470-5.
20. **El-Kenawy, MR.**, El-Kappany, H.A. and Ghoneim, M.A.:
5 years experience with endopyelotomy for PUJ obstruction.
Presented at the 26th Annual Meeting of the Egyptian Urological Association, Sept. 3-6, Hurghada, 1991.

- 21.** Eraky, I., **El-Kenawy, MR.** and Ghoneim, M.A.:
2 years experience with MFL 5000. Presented at the 26th Annual
Meeting of the Egyptian.
Urological Association, Sept. 3-6, Hurghada, 1991.
- 22.** **El-Kenawy, MR.** and Ghoneim, M.A.:
Stones in horseshoe kidney: Comparison of different treatment
modalities.
The New Egyptian J of Medicine, Vol. 5(3): 279-281, 1991.
- 23.** **El-kenawy, MR.**, El-Kappany, M. and Ghoneim, M.A.:
Percutaneous extraction of renal calculi in patients with solitary
kidneys: Technique-complications and long term follow up.
The New Egyptian J of Medicine, Vol. 5(6): 588-50, 1991.
- 24.** Shokeir, A.A., Gad, H.H., Shaaban, A.A., **El-Kenawy, M R.**, El-
Sherif, A., Shamaa, M.A., Bakr, M.A. and Ghoneim, M.A.:
Differential kidney scans in preoperative evaluation of kidney donors.
Transplant Proc. 1993 Jun; 25(3): 2327-9.
- 25.** Shokeir, A.A., El-Diasty, T.A., Nabeeh, A., **El-Kenawy, MR.**, Wafa,
E.W. and Ghoneim, M.A.:
Digital subtraction angiography in potential live-kidney donors: A
study of 1000 cases.
Abdominal imaging 1994, Sept. Oct.; 19(5): 461-5.
- 26.** Bazeed, M., Nabeeh, A, **El-Kenawy, MR.** and Ashamallah, A.:
Urovaginal fistulae: 20 years' experience.
Eur Urol. 1995; 27(1): 34-8.

- 27. El-Kenawy, MR.:**
Laparoscopic versus trans-inguinal varlicocetectomy: A comparative study.
Mansoura Med J. 27: 251-256, 1997.
- 28. El-Kenawy, MR.:**
Delayed bleeding after percutaneous nephrolithotomy.
African J Urol 2(4): 81-85, 1998.
- 29. El-Kenawy, MR.:**
Percutaneous ureterolithotomy for upper ureteral calculi.
African J Urol 1(4): 47-51, 1998.
- 30. Sheir, K., El-Kenawy, MR., Mokhtar, A., Madbouli, K., Iraky, I. and Ghoneim, M.A.:**
Extracorporeal shock wave lithotripsy (ESWL) for renal calculi using Dornier MFL 5000 lithotriptor.
Egyptian J Urol 5(1): 34-41, January 1998.
- 31. Shoma, a.M., Eraky, I., El-Kenawy, MR. and El-Kappany, H.A.:**
Percutaneous nephrolithotomy in the supine position : Technical aspects and functional outcome compared with the prone technique.
Urology 2002 Sep.; 60(3): 388-92.
- 32. Madbouly, K., Sheir, K.Z., El-Sobky, E., Eraky, I. and El-Kenawy, MR.:**
Risk factors for the formation of a steinstrasse adter extracorporeal shock wave lithotripsy: A statistical model.
J Urol 2002; 167: 1239-1242.

- 33.** Madbouly, K., El-Sobky, Sheir, K.Z., E., Eraky, I. and El-Kenawy, MR.:
Extracorporeal shock wave lithotripsy as monotherapy for stones in solitary kidney.
African Journal of Urology 2002, 8(2): 87-93.
- 34.** Abdel-Khalek, M., Sheir, K.Z., El-Sobky, E., Shawkey, S. and El-Kenawy, MR.:
Extracorporeal shock wave lithotripsy (ESWL) for ureteric stones: Selection of ideal patient.
Scand J Urol Nephrol, 37(5): 413-418, 2003.
- 35.** Eraky, I., El-Nahas, A.R., Shoma, A., El-Kenawy, MR. and Kappany, H.:
Percutaneous nephrolithotomy for complex renal stones: Safety and efficacy.
AJU 2003, 3: 22-29.
- 36.** Abdel-Khalek, M., Sheir, K.Z., El-Sobky, E., Mokhtar, A., Eraky, I., El-Kenawy, MR. and Bazeed, M.:
Prediction of success after extraporeal shock-wave lithotripsy of renal stones: A multivariate analysis model.
Scand J Urol Nephrol, 38(2): 161, 167, 2004.
- 37.** Dawaba, M.S., Shokeir, A.A., Hafez, A.T., Shoma, A.M., El-Sherbiny, M.T., Mokhtar, A., Eraky, I., El-Kenawy, MR. and El-Kappany, H.A.:
Percutaneous nephrolithotomy in children: Early and late anatomical and functional results.
J Urol. 2004 Sep., 172(3): 1078-81.

- 38.** El-Nahas, a.R., Abou-El-Ghar, M., Shoma, A.M., Eraky, I., El-**Kenawy, MR.** and El-Kappany, H.:
Role of multiphasic helical computed tomography in planning surgical treatment for pelvic-ureteric junction obstruction.
BJU Int. 2004, Sep.; 94(4): 582-587.
- 39.** Shokeir, A.A., El-Nahas, A.R., Shoma, A.M., Eraky, I., **El-Kenawy, MR.**, Mokhtar, A., El-Kappany, H.:
Percutaneous nephrolithotomy in treatment of large stones within horseshoe kidneys.
Urology 2004 Sep.; 64(3): 426-429.
- 40.** Al-Kohlany, K.M., Shokeir, A.A., Mosbah, a., Mohsen, T., Shoma, A.M., Eraky, I., **El-Kenawy, MR.** and El-Kappany, H.A.:
Treatment of complete staghorn stones: A prospective randomized comparison of open surgery versus percutaneous nephrolithotomy.
J Urol 2005 Feb.; 173(2): 469-473.
- 41.** El-Assmy, A., El-Nahas, A.R., Mohsen, T., **El-Kenawy, MR.**, Shaaban, A.A. and Sheir, K.Z.:
Extracorporeal shock wave lithotripsy of upper urinary tract calculi in patients with cystectomy and urinary diversion.
Urology 2005 Sep.; 66(3): 510-513.
- 42.** El-Nahas, A.R., Shoma, A.M., Eraky, I., **El-Kenawy, MR.** and El-Kappany, H.A.:
Prospective, randomized comparison of ureteroscopic endopyelotomy using holmium: YAG laser and balloon catheter.
J Urol 2006 Feb.; 175(2): 614-618, Discussion, 618.

- 43.** El-Nahas, A.R., El-Assmy, A.M., Shoma, A.M., Eraky, I., El-Kenawy, MR. and El-Kappany, H.A.:
Self-retaining ureteral stents: Analysis of factors responsible for patients' discomfort.
J Endourol 2006 Jan.; 20(1): 33-7.
- 44.** El-Nahas, A.R., Shokeir, A.A., El-Assmy, A.M., Shoma, A.M., Eraky, I., El-Kenawy, MR. and El-Kappany, H.A.:
Colonic perforation during percutaneous nephrolithotomy: Study of risk factors.
Urology 2006 May.; 67(5): 937-941. EPUB 2006 pr.; 25.
- 45.** El-Nahas, A.R., Eraky, I., El-Assmy, A.M., Shoma, A.M., El-Kenawy, MR., Abdel-Latif, M., Mosbah, A., Abol-Enein, H., Shaaban, A.A., Mohsen, T., El-Kappany, H.:
Percutaneous treatment of large upper tract stones after urinary Diversion:
Urology 2006; 68 (3): 500-504.
- 46.** El-Nahas, A.R., Shokeir, A.A., El-Assmy, A.M., Shoma, A.M., Eraky, I., El-Kenawy, MR. and El-Kappany, H.A.:
Percutaneous endopyelotomy for secondary ureteropelvic junction obstruction: Prognostic factors affecting late recurrence.
Urology 2006 May; 67: 937-941.
- 47.** El-Assmy, A.M., El-Nahas, A.R., Abol-Ghar, M., Eraky, I., El-Kenawy, MR. and Sheir, K.Z.:
Predictors of success after extra corporeal shock wave lithotripsy (ESWL) for renal calculi between 20-30 mm: A multivariate analysis model.
Scientific World Journal, 2006, Mar 23;6:23 88-95.

- 48.** El-Nahas AR, Shoma AM, Eraky I, El-Kenawy MR, El-Kappany HA. Percutaneous endopyelotomy for secondary ureteropelvic junction obstruction: Prognostic factors affecting late recurrence". Scand J Urol Nephrol 2006, 40 (5): 385-390.
- 49.** El-Nahas AR, Shokeir AA, El-Assmy AM, Mohsen T, Shoma AM, Eraky I, El-Kenawy MR, El-Kappany HA. Post-percutaneous nephrolithotomy extensive hemorrhage: A study of risk factors. J Urol. 2007; 177: 576-579.
- 50.** El-Assmy AM, Shokeir AA, El-Nahas AR, Shoma AM, Eraky I, El-Kenawy MR, El-Kappany HA. Outcome of Percutaneous Nephrolithotomy: Effect of Body Mass Index. Eur Urol. 2007 Jul; 52(1):199-204.
- 51.** El-Kappany HA, El-Nahas AR, Shoma AM, El-Tabey NA, Eraky I, El-Kenawy MR. Combination of laparoscopy and nephroscopy for treatment of stones in pelvic ectopic kidneys.. J Endourol. 2007 Oct;21(10):1131-6.
- 52.** El-Assmy AM, Shokeir AA, Mohsen T, El-Tabey N, El-Nahas AR, Shoma AM, Eraky I, El-Kenawy MR, El-Kappany HA.. Renal access by urologist or radiologist for percutaneous nephrolithotomy--is it still an issue? J Urol. 2007 Sep; 178(3 Pt 1): 916-20.
- 53.** Eassa WA, Sheir KZ, Gad HM, Dawaba MO, El- Kenawy MR, El-Kappany HA. Prospective Study of the long term effects of shock wave lithotripsy on renal function and blood pressure. Jurol. 2008 Mar, 179 (3): 964-8.

- 54.** Sheir KZ, El-halwagy SM, Abo.El-ghar ME, Ismail AM, Elsawy E, El-Diasty TA, Dawaba M, Eraky A, **El-Kenawy MR.**
Evaluation of asynchronous twin-pulse technique for shock wave Lithotripsy: a prospective randomized study of effectiveness and safety in comparison to standard single-pulse technique.
BJU int. 2008 Jun; 101(11): 1420-6.
- 55.** El-Nahas AR, Shokeir AA, **El-Kenawy MR**, Shoma AM, Eraky I, El-Assmy AM, Ghaly, El-Kappany HA
Safety and efficacy of supracostal percutaneous nephrolithotomy in pediatric patients.
J Urol 2008 Aug; 180(2): 676-80.
- 56.** El-Nahas AR, El-Tabey NA, Eraky I, Shoma AM, El-Hefnawy AS, El-Assmy AM, Soliman S, Youssef RF, **El-Kenawy MR**, Shokeir AA, El-Kappany HA.
Semirigid ureteroscopy for ureteral stones: a multivariate analysis of unfavorable results.
J Urol. 2009 Mar; 181(3):1158-62.
- 57.** Youssef RF, El-Nahas AR, El-Assmy AM, El-Tabey NA, El-Hefnawy AS, Eraky I, **El-Kenawy MR**, El-Kappany HA, Sheir KZ.
Shock wave lithotripsy versus semirigid ureteroscopy for proximal ureteral calculi (<20 mm): a comparative matched-pair study.
Urology. 2009 Jun; 73(6):1184-7.
- 57.** Al-Kandari AM, Shoma AM, Eraky I, **El-Kenawy MR**, Al-Eezi H, El-Kappany HA.
Percutaneous nephrolithotomy for management of upper urinary tract calculi in patients with autosomal dominant polycystic kidney disease.
Urology. 2009 Aug; 74(2):273-7.

- 58.** El-Hefnawy AS, El-Nahas AR, El-Tabey NA, Shoma AM, El-Assmy AM, **El-Kenawy MR**, El-Kappany HA, Eraky I.
Bilateral same-session ureteroscopy for treatment of ureteral calculi: critical analysis of risk factors.
Scand J Urol Nephrol. 2011 Mar; 45(2): 97-101.
- 59.** El-Nahas AR, Eraky I, Shokeir AA, Shoma AM, El-Assmy AM, El-Tabey NA, El-Kappany HA, **El-Kenawy MR**.
Long-term results of percutaneous nephrolithotomy for treatment of staghorn stones.
BJU Int. 2011 Sep; 108(5): 750-4.
- 60.** El-Nahas AR, Eraky I, Shokeir AA, Shoma AM, El-Assmy AM, El-Tabey NA, Soliman S, El-shal AM, El-Kappany HA, **El-Kenawy MR**.
Factors affecting stone-free rate and complications of percutaneous nephrolithotomy for treatment of staghorn stone.
Urology. 2012 Jun;79(6): 1236-41.
- 61.** El-Nahas AR, Eraky I, Shokeir AA, Shoma AM, El-Assmy AM, El-Tabey NA, El-Kappany HA, **El-Kenawy MR**.
Percutaneous nephrolithotomy for treating staghorn stones: 10 years of experience of a tertiary-care Centre.
Arab J Urol. 2012 Sep;10(3):324-9. doi: 10.1016/j.aju.2012.03.002.
Erratum in: [Arab J Urol. 2016 Mar;14\(1\):72.](#)
- 62.** El-Nahas AR, Awad BA, El-Assmy AM, Abou El-Ghar ME, Eraky I, **El-Kenawy MR**, Sheir KZ.
Are there long-term effects of extracorporeal shockwave lithotripsy in paediatric patients?
BJU Int. 2013 Apr; 111(4): 666-71.

- 63.** Osman Y, Harraz AM, El-Nahas AR, Awad B, El-Tabey N, Shebel H, Shoma AM, Eraky I, **El-Kenawy M.**
Clinically insignificant residual fragments: an acceptable term in the computed tomography era?
Urology. 2013 Apr; 81(4): 723-6.
- 64.** El-Nahas AR, Eraky I, Shokeir AA, Shoma AM, El-Assmy AM, El-Tabey NA, El-Kappany HA, **El-Kenawy MR**
Corrigendum to “percutaneous nephrolithotomy for treating staghorn stones: 10 years of experience of a tertiary-care center”
{Arab J. Urol. 10(2012) 324 – 329}
Arab J Urol. 2016 Mar;14(1):72. doi: 10.1016/j.aju.2016.02.001.
- 65.** El-Nahas AR, Shokeir AA, Shoma AM, Eraky I, Sarhan OM, Hafez AT, Dawaba MS, Elshal AM, Ghali AM, **El-Kenawy MR.**
Percutaneous nephrolithotomy versus open surgery for treatment of staghorn stones in pediatric patients.
Can Urol Assoc J. 2014 Nov;8(11-12):E906-9. doi: 10.5489/cuaj.1994.
- 66.** El-Tabey NA¹, El-Nahas AR², Eraky I¹, Shoma AM¹, El-Assmy AM¹, Soliman SA¹, Shokeir AA¹, Mohsen T³, El-Kappany HA¹, **El-Kenawy MR.**
Long-term functional outcome of percutaneous nephrolithotomy in solitary kidney
Urology. 2014 May;83(5):1011-5. doi:
10.1016/j.urology.2013.12.025. Epub 2014 Mar 5.

CONTRIBUTION IN SCIENTIFIC CONGRESSES:

1. Annual Congress of the Egyptian urological Association, Alexandria-Egypt, April, 1983.
2. Annual Congress of the Egyptian urological Association, Cairo-Egypt, April, 1984.

3. International Symposium on Endourology, Amesterdam, Netherland, September, 1985.
4. Annual Congress of the Egyptian Urological Association, ismailia-Egypt, Cairo-Egypt, April, 1986.
5. A symposium on “Endourology, ESWL”. Homborg Sar, Sarland university, Germany, 1986.
6. IV World Congress on Endourology & ESWL, Madrid, Spain, September, 1986 (**Paper presentation**).
7. Annual Congress of the Egyptian Urological Association, cairo-Egypt, September, 1987.
8. V World Congress on Endourology & ESWL, cairo, November, 1987 (**Paper Presentation**).
9. Annual Congress of the British Association of Urological Surgeons (B.A.U.S), Buxton, England, June, 1988.
10. Annual Congress of the American Urological Association (A.U.A.) 84th Annual Meeting, dallas, U.S.A., may 1989 (**Video Presntation**).
11. 11th Congree of the European Association of urology, amesterdam-Netherland, June 1990 (**Poster presentation**).
12. Annual Congress of the Egyptian Urological Association, Cairo-Egypt, October 1990 (**Ppaer presentation**).
13. IX World Congress on Endourology & ESWL, Viennna, Austria, June 1991 (**Poster Presentation**).

14.Annual Congress of The Egyptian urological Association. Hurghada-Egypt, September 1991 (**Paper Presentation**).

15.“Retrograde Laser Endopyelotomy for Primary Pelviureteral Junction Obstruction”.

Video presentation in the 14th Video- Urology World Congress, Cairo, Egypt, 2002.

16. "Retrograde ureteroscopic endopyelotomy using Holmium: YAG Laser"

Podium presentations in the 38th Annual meeting of the Egyptian Urologic Association, Cairo, Egypt, 2003

17.“Role of Multiphasic Helical CT in planning surgical treatment of Ureteropelvic Junction Obstruction”

Poster presentation in the 18th European Association of Urology Conference, Madrid, Spain 2003

18.Prospective randomized comparison of ureteroscopic endopyelotomy using Holmium: YAG Laser and Acucise endopyelotomy”.

Poster presentation in the 100th American Urologic Association Conference, San Antonio, USA, 2005

19. " Temporary double J stenting: Analysis of factors responsible for morbidity and patients' discomfort"

Poster presentation in the 23rd World Congress of Endourology, Amsterdam, Netherlands, 2005

20. "Percutaneous treatment of large upper tract stones after urinary Diversion".

Poster presentations in the 21st European Association of Urology Conference, Paris, France, 2006

21. "Colonic perforation during percutaneous nephrolithotomy: Study of risk factors"

Poster presentations in the 21st European Association of Urology Conference, Paris, France, 2006

22. "Predictors of clinical significance of residual fragments after ESWL for Renal stones"

Poster presentations in the 21st European Association of Urology Conference,
Paris, France, 2006.

23. "The combination of laparoscopy and nephroscopy for treatment of stones in ectopic pelvic kidneys"

Podium presentation in the 4rd Egyptian international congress of laparoscopic surgery, Cairo, Egypt, January, 2007

24. The combination of laparoscopy and nephroscopy for treatment of stones in ectopic pelvic kidneys"

Podium presentation in the 42nd Annual meeting of the Egyptian Urologic Association, Luxor, Egypt, October, 2007

25. "The combination of laparoscopy and nephroscopy for treatment of stones in ectopic pelvic kidneys"

Video presentation in the 19th Video- Urology World Congress, Singapore, 2007

26. "Post-percutaneous nephrolithotomy extensive hemorrhage: A study of risk factors."

Poster presentations in the 22nd European Association of Urology Conference, Berlin, Germany, 2007

27. "Safety and Efficacy of Supracostal Percutaneous Nephrolithotomy in Pediatric Patients"

Poster presentation in the 103rd American Urologic Association Conference, Orlando, Florida 2008

28. "Long-term Results of Percutaneous Nephrolithotomy for Treatment of Staghorn Stones"

Poster presentation in the 25th European Association of Urology Conference, Barcelona, Spain, 2010

**29. Percutaneous nephrolithotomy for Urolithiasis in solitary kidney:
Early surgical results and long – Term functional out-come**

30.“Prognostic factors for success of extracorporeal shockwave lithotripsy for treatment of renal stones in pediatric patients”

CONTRIBUTION IN TEACHING COURSES:

1. Undergraduate, Postgraduate teaching courses, Urology & Nephrology Center, Mansoura faculty of Medicine, 1989 thereafter.
2. Postgraduate teaching course, The Egyptian urologic Association. Mansoura-Egypt, 1991 (Two talks).
3. The 1st International training course on invasive bladder cancer and urinary diversion techniques. 4-8 September, 2004, Mansoura- Egypt.
4. The 2nd international training course on invasive bladder cancer and urinary diversion techniques. Feb. 26-March 3, 2005. Mansoura- Egypt.
5. The 3rd international training course on invasive bladder cancer and urinary diversion techniques. Sept. 17-22, 2005. Mansoura -Egypt.
6. The 4th international training course on invasive bladder cancer and urinary diversion techniques. Mar. 4-9, 2006. Mansoura -Egypt.
7. The 5th international training course on invasive bladder cancer and urinary diversion techniques. Sep. 16-21, 2006. Mansoura -Egypt.
8. The 6th international training course on invasive bladder cancer and urinary diversion techniques. Mar. 10-16, 2007. Mansoura -Egypt.
9. The 1^{sr} international training course on Uro-laparoscopy. Apr. 8-13, 2007. Mansoura -Egypt.

- 10.**The 7th international training course on invasive bladder cancer and urinary diversion techniques. Nov. 10-16, 2007. Mansoura -Egypt.
- 11.**The 2nd international training course on Uro-laparoscopy. Dec. 2-7, 2007. Mansoura -Egypt.
- 12.**The 3rd international training course on Uro-laparoscopy. Apr. 13-17, 2008. Mansoura -Egypt.
- 13.**The 8th international training course on invasive bladder cancer and urinary diversion techniques. Oct. 25- 31, 2008. Mansoura -Egypt.
- 14.**The 1^{sr} international training course on Basics of Urology. Dec. 1-4, 2008. Mansoura -Egypt.
- 15.**The 4th international training course on Uro-laparoscopy. Jan. 18-22, 2009. Mansoura -Egypt.
- 16.**The 9th international training course on invasive bladder cancer and urinary diversion techniques. March 28th – April 2nd, 2009. Mansoura - Egypt.
- 17.**The 1st international training course on renal and ureteric stones and stricture: Role of open surgery. May 23-27, 2009. Mansoura - Egypt.
- 18.**The 5th international training course on Uro-laparoscopy. Jun. 21-25, 2009. Mansoura -Egypt.
- 19.**The 10th international training course on invasive bladder cancer and urinary diversion techniques. Oct. 11- 16, 2009. Mansoura -Egypt.

- 20.**The 6th international training course on Uro-laparoscopy. Dec. 26-30, 2009. Mansoura -Egypt.
- 21.**The 7th international training course on Uro-laparoscopy. May. 2-5, 2010. Mansoura -Egypt.
- 22.**Annual meeting of Urology Department entitled "New trends in Endourology". April, 15th, 2004. Mansoura-Egypt
- 23.**Annual meeting of Urology Department entitled "Renal and ureteral surgery". June, 22nd, 2005. Mansoura-Egypt
- 24.**Extracorporeal shockwaves lithotripsy workshop. February, 9th, 2006. Mansoura-Egypt
- 25.**The 11th Monthly meeting of the Urologic surgeons in Mansoura. March, 2nd, 2006.
- 26.**The 12th Monthly meeting of the Urologic surgeons in Mansoura on March, 30th, 2006.
- 27.**The 13th Monthly meeting of the Urologic surgeons in Mansoura on April, 27th, 2006.
- 28.**Annual endourology section meeting of the Egyptian Urological Association. August, 28th, 2008. Mansoura-Egypt
- 29.**Flexible Ureteroscopy workshop (in collaboration with Prof. Michael Grasso) December, 1st -2nd 2009, Mansoura-Egypt.

THESIS SUPERVISION:

A. Master Degree:

1. “Long term follow up after percutaneous nephrolithotripsy”
M.S. Thesis in Urology, Mansoura faculty of medicine.
By: Alaa Mokhtar (23/5/1988 to 10/3/1991)

2. “Percutaneous nephrolithotomy: Hotomy”
M.S. Thesis in Urology, Mansoura faculty of medicine.
By: Mohamed Sedda (2/10/1997 to 8/2/2000)

3. “Evaluation of renal ischaemia after nephrolithotomy”.
M.S. Thesis in Urology, Mansoura faculty of medicine.
By: Amr El-Hawary (5/11/2000 to 9/1/2003)

4. “Evaluation of different modalities of management of lower calyceal renal stones”.
M.S. Thesis in Urology, Mansoura faculty of medicine.
By: Ramy Fady (7/7/2002 to 26/5/2005)

5. “Diagnosis and treatment of pelvicalyceal tumours”
M.S. Thesis in Urology, Mansoura faculty of medicine.
By: Mohamed El-Aody (8/7/2007 to 17/10/2009)

B. M.D. Degree:

1. “Donor Nephrectomy, Evaluation and Long Term Follow Up”
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Mohamed Gomha (8/3/1993 to 11/12/1994)

2. “Evaluation of pediatric patients with urolithiasis”
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Morshed Noman (12/7/1998 to 3/9/2000)

- 3.** “Ureteropelvic junction obstruction: Evaluation of minimally invasive management”
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Ahmed El-Nahas (6/5/2001 to 2/9/2004)
- 4.** “Branching renal stones: Prospective evaluation”.
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Khaled El-Kohlany (4/11/2001 to 7/9/2004)
- 5.** “Long term effect of ESWL on renal function”.
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Waleed Esa (14/9/2003 to 16/1/2007)
- 6.** Prognostic factors for extracorporeal shockwave lithotripsy of renal stones”.
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Mohamed Sedda (10/10/2004 to 3/7/2008)
- 7.** Comparative study comparing synchronous twin pulse technique and single pulse technique.
M.D. Thesis in Urology, Mansoura faculty of medicine.
By: Samer Mahmoud 5/1/2008

SCIENTIFIC VISITS:

1. Urology Center, Mainz University, West Germany, 1985.
2. Urology Center, Hamborg sar, Sarland University, west Germany, 1986.
3. Urology Center, Mainz University, west Germany, 1986.
4. Urology enter, Herne Hospital, Bochum University, west Germany, 1989.
5. Urology Center, Munich University Hospital, west Germany, 1989.

MEMBERSHIP:

1. Egyptian Medical Syndicate.
2. Egyptian Urological Association.
3. European Urological Association.
4. Society of Endourorology

Updated